

8M HTD Timing Pulley (Taper Lock)



Part No.	Z	Type	Mat	Bush	Outside Dia.	Hub Dia.	K	W	L	D3	D1	Max bore
22-8M-20	22	-	GG	1008/1108	54.65	60	-	28	-	-	-	25
22-8M-30	22	-	GG	1008/1108	54.65	60	-	38	-	-	-	25
24-8M-20	24	-	GG	1108	59.75	66	-	28	-	-	-	28
24-8M-30	24	-	GG	1108	59.75	66	-	38	-	-	-	28
26-8M-20	26	-	GG	1108	64.84	71	-	28	-	-	-	28
26-8M-30	26	-	GG	1108	64.84	71	-	38	-	-	-	28
28-8M-20	28	-	GG	1108	70.08	75	-	28	-	-	-	28
28-8M-30	28	-	GG	1210	70.08	75	-	38	-	-	-	35
28-8M-50	28	-	GG	1210	70.08	75	-	60	-	-	-	35
30-8M-20	30	-	GG	1108	75.13	83	-	28	-	-	-	28
30-8M-30	30	-	GG	1615	75.13	83	-	38	-	-	-	42
30-8M-50	30	-	GG	1615	75.13	83	-	60	-	-	-	42
32-8M-20	32	-	GG	1610	80.16	87	-	28	-	-	-	42
32-8M-30	32	-	GG	1615	80.16	87	-	38	-	-	-	42
32-8M-50	32	-	GG	1615	80.16	87	-	60	-	-	-	42
34-8M-20	34	-	GG	1610	85.22	91	-	28	-	-	-	42
34-8M-30	34	-	GG	1610	85.22	91	-	28	-	-	-	42
34-8M-50	34	-	GG	1615	85.22	91	-	60	-	-	-	42
34-8M-85	34	-	GG	1615	85.22	91	-	95	-	-	-	42
36-8M-20	36	-	GG	1610	90.3	98.5	-	28	-	-	-	42
36-8M-30	36	-	GG	1615	90.3	98.5	-	38	-	-	-	42
36-8M-50	36	-	GG	1615	95.39	103	-	60	-	-	-	42
36-8M-85	36	-	GG	1615	90.35	98.5	-	95	-	-	-	42
38-8M-20	38	-	GG	1610	95.39	103	-	28	-	-	-	42
38-8M-30	38	-	GG	1615	95.39	103	-	38	-	-	-	42
38-8M-50	38	-	GG	1615	95.39	103	-	60	-	-	-	42
38-8M-85	38	-	GG	1615	95.39	103	-	95	-	-	-	42
40-8M-20	40	-	GG	1610	100.49	106	-	28	-	-	-	42
40-8M-30	40	-	GG	1615	100.49	106	-	38	-	-	-	42
40-8M-50	40	-	GG	2012	100.49	106	-	60	-	-	-	50
40-8M-85	40	-	GG	2012	100.49	106	-	95	-	-	-	50
44-8M-20	44	-	GG	2012	110.67	119	-	28	-	-	-	50
44-8M-30	44	-	GG	2012	110.67	119	-	38	-	-	-	50
44-8M-50	44	-	GG	2012	110.67	119	-	60	-	-	-	50
44-8M-85	44	-	GG	2012	110.67	119	-	95.9	-	-	-	50

8M HTD Timing Pulley (Taper Lock)



Part No.	Z	Type	Mat	Bush	Outside Dia.	Hub Dia.	K	W	L	D3	D1	Max bore
48-8M-20	48	-	GG	2012	120.86	127	-	28	-	96	-	50
48-8M-30	48	-	GG	2012	120.86	127	-	38	-	-	-	50
48-8M-50	48	-	GG	2012	120.86	127	-	60	-	-	-	50
48-8M-85	48	-	GG	2517	120.86	127	-	95	-	-	-	60
56-8M-20	56	-	GG	2012	141.23	148	-	28	-	110	-	50
56-8M-30	56	-	GG	2012	141.23	148	-	38	-	-	-	50
56-8M-50	56	-	GG	2517	141.23	148	-	60	-	-	-	60
56-8M-85	56	-	GG	2517	120.86	127	-	95	-	-	-	60
64-8M-20	64	-	GG	2012	161.6	168	-	28	-	110	-	50
64-8M-30	64	-	GG	2517	161.6	168	-	38	-	125	-	60
64-8M-50	64	-	GG	2517	161.6	168	-	60	-	-	-	60
64-8M-85	64	-	GG	2517	161.6	168	-	95	-	-	-	60
72-8M-20	72	-	GG	2012	181.97	192	-	28	-	110	-	50
72-8M-30	72	-	GG	2517	181.97	192	-	38	-	125	-	60
72-8M-50	72	-	GG	2517	181.97	192	-	60	-	125	-	60
72-8M-85	72	-	GG	3020	181.97	192	-	95	-	-	-	75
80-8M-20	80	-	GG	2012	202.35	-	-	28	-	110	-	50
80-8M-30	80	-	GG	2517	202.35	-	-	38	-	125	-	60
80-8M-50	80	-	GG	3020	202.35	-	-	60	-	-	-	75
80-8M-85	80	-	GG	3020	202.35	-	-	95	-	-	-	75
90-8M-20	90	-	GG	2012	227.81	-	-	28	-	110	-	50
90-8M-30	90	-	GG	2517	227.81	-	-	38	-	125	-	60
90-8M-50	90	-	GG	3020	227.81	-	-	60	-	170	-	75
90-8M-85	90	-	GG	3020	227.81	-	-	95	-	170	-	75
112-8M-30	112	-	GG	2517	283.83	-	-	38	-	125	-	60
112-8M-50	112	-	GG	3020	283.83	-	-	60	-	170	-	75
112-8M-85	112	-	GG	3020	283.83	-	-	95	-	170	-	75
144-8M-30	144	-	GG	2517	365.32	-	-	38	-	125	-	60
144-8M-50	144	-	GG	3020	365.32	-	-	60	-	170	-	75
144-8M-85	144	-	GG	3525	365.32	-	-	95	-	190	-	90
168-8M-50	168	-	GG	3525	426.44	-	-	60	-	190	-	90
168-8M-85	168	-	GG	3525	426.44	-	-	95	-	190	-	90
192-8M-50	192	-	GG	3525	487.55	-	-	60	-	190	-	90
192-8M-85	192	-	GG	3525	487.55	-	-	95	-	190	-	90