


Taper Lock bush



Bush	A	B	D	G	Set Screw Dia. X Len.
1008	35.2	22.3	33.73		1/4x1/2
1108	38.38	22.3	36.92		1/4x1/2
1210	47.62	25.4	44.44		3/8x5/8
1215	47.62	38.1	44.44		3/8x5/8
1610	57.15	25.4	53.97		3/8x5/8
1615	57.15	38.1	53.97		3/8x5/8
2012	69.85	31.8	66.68		7/16x7/8
2017	69.85	44.5	66.68		7/16x7/8
2517	85.73	44.5	82.55		1/2x1
2525	85.73	63.5	82.56		1/2x1
3020	107.96	50.8	101.6		5/8x1-1/4
3030	107.96	76.2	101.6		5/8x1-1/4
3525	127	63.5	122.68	40	1/2x1-1/2
3535	127	89	122.68	40	1/2x1-1/2
4030	146.05	76.2	140.72	40	5/8x1-1/2
4040	146.05	101.5	140.72	40	5/8x1-3/4
4545	161.93	114.3	155.7	40	3/4x2
5050	177.8	127	170.69	37	7/8x2-1/4

Taper Lock bush-Metric



	Bore size (mm)	Keyway (W x D)	Kg
1008	10	4x4	0.14
	12	4x4	0.13
	14	5x5	0.13
	15	5x5	0.13
	16	5x5	0.12
	18	6x6	0.12
	19	6x6	0.1
	20	6x6	0.1
	22	6x6	0.1
	24	8x7	0.09
	25	8x7	0.08
1108	10	4x4	0.16
	11	4x4	0.16
	12	4x4	0.16
	14	5x5	0.16
	15	5x5	0.15
	16	5x5	0.14
	18	6x6	0.14
	19	6x6	0.13
	20	6x6	0.13
	22	6x6	0.12
	24	8x7	0.11
	25	8x7	0.1
	28	8x7	0.09
	1210	11	4x4
12		4x4	0.28
14		5x5	0.28
15		5x5	0.27
16		5x5	0.27
18		6x6	0.26
19		6x6	0.25
20		6x6	0.25
22		6x6	0.23
24		8x7	0.22
25		8x7	0.21
28		8x7	0.19
30		8x7	0.17
32		10x8	0.15
1215	11	4x4	0.41
	12	4x4	0.4
	14	5x5	0.39
	16	5x5	0.38
	18	6x6	0.37
	19	6x6	0.36
	20	6x6	0.35
	22	6x6	0.33
	24	8x7	0.31
	25	8x7	0.29
	28	8x7	0.26
	30	8x7	0.24
	32	10x8	0.22

	Bore size (mm)	Keyway (W x D)	Kg	
1610	14	5x5	0.42	
	16	5x5	0.41	
	17	5x5	0.41	
	18	6x6	0.4	
	19	6x6	0.4	
	20	6x6	0.39	
	22	6x6	0.38	
	24	8x7	0.36	
	25	8x7	0.35	
	28	8x7	0.33	
	30	8x7	0.31	
	1615	32	10x8	0.29
		35	10x8	0.26
		38	10x8	0.24
		40	12x8	0.22
		42	12x8	0.2
		14	5x5	0.6
		16	5x5	0.58
		18	6x6	0.56
19		6x6	0.55	
20		6x6	0.54	
2012	22	6x6	0.52	
	24	8x7	0.5	
	25	8x7	0.49	
	28	8x7	0.47	
	30	8x7	0.44	
	32	10x8	0.41	
	35	10x8	0.38	
	38	10x8	0.33	
	40	12x8	0.31	
	42	12x8	0.28	
	14	5x5	0.79	
	15	5x5	0.78	
	16	5x5	0.78	
	18	6x6	0.77	
19	6x6	0.76		
20	6x6	0.76		
22	6x6	0.74		
24	8x7	0.73		
25	8x7	0.71		
28	8x7	0.68		
30	8x7	0.66		
32	10x8	0.64		
34	10x8	0.63		
35	10x8	0.61		
38	10x8	0.57		
40	12x8	0.54		
42	12x8	0.51		
45	14x9	0.47		
48	14x9	0.42		
50	14x9	0.37		

	Bore size (mm)	Keyway (W x D)	Kg
2017	24	8x7	1
	25	8x7	0.9
	28	8x7	0.9
	30	8x7	0.8
	32	10x8	0.8
	35	10x8	0.7
	38	10x8	0.7
	40	12x8	0.6
	42	12x8	0.5
	45	14x9	0.5
	50	14x9	0.3
2517	16	5x5	1.75
	18	6x6	1.71
	19	6x6	1.66
	20	6x6	1.62
	22	6x6	1.58
	24	8x7	1.56
	25	8x7	1.56
	28	8x7	1.5
	30	8x7	1.49
	32	10x8	1.46
	35	10x8	1.42
	38	10x8	1.35
	40	12x8	1.31
	42	12x8	1.26
	45	14x9	1.2
	48	14x9	1.14
	50	14x9	1.1
	55	16x10	0.95
	60	18x11	0.82
65	18x11	0.5	
2525	24	8x7	1.9
	25	8x7	2
	28	8x7	2.09
	30	8x7	2.05
	32	10x8	2.01
	35	10x8	1.94
	38	10x8	1.86
	40	12x8	1.8
	42	12x8	1.74
	45	14x9	1.64
	48	14x9	1.55
	50	14x9	1.48
	55	16x10	1.29
	60	18x11	1.08
100	28x16	5.5	

Taper Lock bush-Metric



	Bore size (mm)	Keyway (W x D)	Kg
3020	24	8x7	2.89
	25	8x7	2.93
	28	8x7	2.88
	30	8x7	2.85
	32	10x8	2.84
	35	10x8	2.77
	38	10x8	2.71
	40	12x8	2.67
	42	12x8	2.6
	45	14x9	2.56
	48	14x9	2.47
	50	14x9	2.2
	55	16x10	2.15
	60	18x11	2.07
	65	18x11	1.93
	70	20x12	1.7
75	20x12	1.5	
3030	35	10x8	3.97
	38	10x8	3.89
	40	12x8	3.8
	42	12x8	3.65
	45	14x9	3.5
	48	14x9	3.42
	50	14x9	3.4
	55	16x10	3.2
	60	18x11	2.95
	65	18x11	2.67
	70	20x12	2.45
	75	20x12	2.1
3525	35	10x8	4.9
	38	10x8	4.8
	40	12x8	4.8
	42	12x8	4.8
	45	14x9	4.7
	48	14x9	4.6
	50	14x9	4.5
	55	16x10	4.4
	60	18x11	4.2
	65	18x11	3.9
	70	20x12	3.7
	75	20x12	3.5
	80	22x14	3.35
	85	22x14	3.2
	90	25x14	3
95	25x14	2.95	

	Bore size (mm)	Keyway (W x D)	Kg	
3535	35	10x8	4.96	
	38	10x8	4.88	
	40	12x8	4.82	
	42	12x8	4.76	
	45	14x9	4.67	
	48	14x9	4.57	
	50	14x9	4.5	
	55	16x10	4.31	
	60	18x11	4.1	
	65	18x11	3.88	
	70	20x12	3.64	
	75	20x12	3.38	
	80	22x14	3.1	
	85	22x14	2.8	
	90	25x14	2.49	
	4030	40	12x8	7.6
		42	12x8	7.5
		45	14x9	7.4
		48	14x9	7.3
		50	14x9	7.1
55		16x10	7	
60		18x11	6.7	
65		18x11	6.6	
70		20x12	6.3	
75		20x12	5.9	
4040	40	12x8	10.46	
	42	12x8	10.07	
	45	14x9	9.77	
	48	14x9	9.64	
	50	14x9	9.5	
	55	16x10	9.25	
	60	18x11	8.9	
	65	18x11	8.5	
	70	20x12	8.2	
	75	20x12	7.7	
5050	80	22x14	7.4	
	85	22x14	6.9	
	90	25x14	6.4	

	Bore size (mm)	Keyway (W x D)	Kg
4545	55	16x10	13.2
	60	18x11	12.9
	65	18x11	12.4
	70	20x12	12
	75	20x12	11.5
	80	22x14	10.9
	85	22x14	10.5
	90	25x14	9.9
	95	25x14	9.5
	100	28x16	8.9
	105	28x16	8.2
5050	110	28x16	7.4
	70	20x12	17
	75	20x12	16.3
	80	22x14	15.6
	85	22x14	15
	90	25x14	14.4
	95	25x14	13.6
	100	28x16	12.9
110	28x16	11.5	
120	32x18	9.8	
125	32x18	8.9	

Taper Lock bush-Imperial



	Bore size (mm)	Keyway (W x D)	Kg
1008	3/8	1/8x1/8	0.15
	1/2	1/8x1/8	0.14
	5/8	3/16x3/16	0.12
	3/4	3/16x3/16	0.1
	7/8	1/4x1/4	0.09
	1	1/4x1/4	0.08
1108	3/8	1/8x1/8	0.16
	1/2	1/8x1/8	0.16
	5/8	3/16x3/16	0.14
	3/4	3/16x3/16	0.13
	7/8	1/4x1/4	0.12
	1	1/4x1/4	0.1
	1-1/8	5/16x5/16	0.09
	1-1/4	5/16x5/16	0.18
1201	1/2	1/8x1/8	0.28
	5/8	3/16x3/16	0.27
	3/4	3/16x3/16	0.25
	7/8	1/4x1/4	0.23
	1	1/4x1/4	0.21
	1-1/8	5/16x5/16	0.19
	1-1/4	5/16x5/16	0.18
1215	5/8	3/16x3/16	0.38
	3/4	3/16x3/16	0.35
	7/8	1/4x1/4	0.33
	1	1/4x1/4	0.29
	1-1/8	5/16x5/16	0.26
	1-1/4	5/16x5/16	0.22
1610	1/2	1/8x1/8	0.44
	5/8	3/16x3/16	0.41
	3/4	3/16x3/16	0.4
	7/8	1/4x1/4	0.38
	1	1/4x1/4	0.35
	1-1/8	5/16x5/16	0.31
	1-3/16	3/8x3/8	0.3
	1-1/4	5/16x5/16	0.29
	1-3/8	3/8x3/8	0.24
	1-7/16	3/8x3/8	0.24
	1-1/2	3/8x3/8	0.24
	1-5/8	7/16x7/16	0.2
	1-11/16	7/16x7/16	0.2
	1615	1/2	1/8x1/8
5/8		3/16x3/16	0.58
3/4		3/16x3/16	0.56
7/8		1/4x1/4	0.52
1		1/4x1/4	0.49
1-1/8		5/16x5/16	0.47
1-1/4		5/16x5/16	0.44
1-3/8		3/8x3/8	0.38
1-7/16		3/8x3/8	0.35
1-1/2		3/8x3/8	0.33
1-5/8		7/16x7/16	0.3

	Bore size (mm)	Keyway (W x D)	Kg
2012	5/8	3/16x3/16	0.78
	3/4	3/16x3/16	0.76
	7/8	1/4x1/4	0.74
	1	1/4x1/4	0.7
	1-1/8	5/16x5/16	0.67
	1-3/16	5/16x5/16	0.67
	1-1/4	5/16x5/16	0.67
	1-3/8	3/8x3/8	0.63
	1-7/16	3/8x3/8	0.62
	1-1/2	3/8x3/8	0.61
	1-5/8	7/16x7/16	0.54
	1-11/16	7/16x7/16	0.5
	1-3/4	7/16x7/16	0.47
	1-7/8	1/2x1/2	0.42
	1-15/16	1/2x1/2	0.4
2017	1	1/4x1/4	0.9
	1-1/8	5/16x5/16	0.9
	1-1/4	5/16x5/16	0.8
	1-3/8	3/8x3/8	0.7
	1-1/2	3/8x3/8	0.6
	1-3/4	7/16x7/16	0.5
	2	1/2x1/2	0.3
2517	3/4	3/16x3/16	1.66
	7/8	1/4x1/4	1.58
	1	1/4x1/4	1.56
	1-1/8	5/16x5/16	1.5
	1-3/16	5/16x5/16	1.48
	1-1/4	5/16x5/16	1.46
	1-5/16	5/16x5/16	1.44
	1-3/8	3/8x3/8	1.42
	1-7/16	3/8x3/8	1.39
	1-1/2	3/8x3/8	1.35
	1-5/8	7/16x7/16	1.27
	1-11/16	7/16x7/16	1.24
	1-3/4	7/16x7/16	1.2
	1-7/8	1/2x1/2	1.14
1-15/16	1/2x1/2	1.12	
2	1/2x1/2	1.1	
2-1/8	5/8x5/8	1.05	
2-3/16	5/8x5/8	1	
2-1/4	5/8x5/8	0.95	
2-3/8	5/8x5/8	0.82	
2-7/16	5/8x5/8	0.7	
2-1/2	5/8x5/8	0.63	

	Bore size (mm)	Keyway (W x D)	Kg	
2525	1	1/4x1/4	2.15	
	1-1/8	5/16x5/16	2.09	
	1-1/4	5/16x5/16	2.01	
	1-3/8	3/8x3/8	1.94	
	1-1/2	3/8x3/8	1.86	
	1-5/8	7/16x7/16	1.74	
	1-3/4	7/16x7/16	1.65	
	1-7/8	1/2x1/2	1.55	
	2	1/2x1/2	1.48	
	2-1/8	5/8x5/8	1.29	
	2-1/4	5/8x5/8	1.23	
	2-3/8	5/8x5/8	1.17	
	2-1/2	5/8x5/8	1.1	
	3020	1	1/4x1/4	3
		1-1/8	5/16x5/16	2.85
1-1/4		5/16x5/16	2.84	
1-3/8		3/8x3/8	2.77	
1-7/16		3/8x3/8	2.74	
1-1/2		3/8x3/8	2.71	
1-5/8		7/16x7/16	2.6	
1-11/16		7/16x7/16	2.58	
1-3/4		7/16x7/16	2.56	
1-7/8		1/2x1/2	2.47	
1-15/16		1/2x1/2	2.34	
2		1/2x1/2	2.2	
2-1/8		5/8x5/8	2.15	
2-1/4		5/8x5/8	2.1	
2-3/16		5/8x5/8	2.09	
2-3/8	5/8x5/8	2.07		
2-7/16	5/8x5/8	2		
2-1/2	5/8x5/8	1.94		
2-5/8	3/4x3/4	1.93		
2-3/4	3/4x3/4	1.7		
2-7/8	3/4x3/4	1.5		
2-15/16	3/4x3/4	1.48		
3	3/4x3/4	1.45		
3030	1-1/4	5/16x5/16	4.04	
	1-3/8	3/8x3/8	3.97	
	1-1/2	3/8x3/8	3.89	
	1-5/8	7/16x7/16	3.65	
	1-3/4	7/16x7/16	3.5	
	1-7/8	1/2x1/2	3.42	
	2	1/2x1/2	3.4	
	2-1/8	5/8x5/8	3.2	
	2-3/16	5/8x5/8	3.1	
	2-1/4	5/8x5/8	3	
	2-3/8	5/8x5/8	2.67	
	2-7/16	5/8x5/8	2.52	
	2-1/2	5/8x5/8	2.45	
	2-5/8	3/4x3/4	2.38	
	2-3/4	3/4x3/4	2.3	
2-7/8	3/4x3/4	2.2		
2-15/16	3/4x3/4	2.15		
3	3/4x3/4	2.1		

Taper Lock bush-Imperial



	Bore size (mm)	Keyway (W x D)	Kg
3525	1-1/4	5/16x5/16	5
	1-3/8	3/8x3/8	4.9
	1-1/2	3/8x3/8	4.8
	1-5/8	7/16x7/16	4.8
	1-3/4	7/16x7/16	4.7
	1-7/8	1/2x1/2	4.6
	2	1/2x1/2	4.5
	2-1/8	5/8x5/8	4.4
	2-1/4	5/8x5/8	4.3
	2-3/8	5/8x5/8	4.2
	2-7/16	5/8x5/8	4
	2-1/2	5/8x5/8	3.9
	2-5/8	3/4x3/4	3.8
	2-3/4	3/4x3/4	3.7
	2-7/8	3/4x3/4	3.6
	3	3/4x3/4	3.5
	3-1/8	7/8x7/8	3.4
	3-1/4	7/8x7/8	3.3
	3-3/8	7/8x7/8	3.2
	3-1/2	7/8x7/8	3
3535	1-1/4	5/16x5/16	6.8
	1-5/16	3/8x3/8	6.7
	1-3/8	3/8x3/8	6.6
	1-1/2	3/8x3/8	6.55
	1-5/8	7/16x7/16	6.5
	1-11/16	7/16x7/16	6.34
	1-3/4	7/16x7/16	6.25
	1-7/8	1/2x1/2	6.1
	2	1/2x1/2	6
	2-1/8	5/8x5/8	5.55
	2-3/16	5/8x5/8	5.55
	2-1/4	5/8x5/8	5.55
	2-3/8	5/8x5/8	5.45
	2-1/2	5/8x5/8	5.35
	2-5/8	3/4x3/4	5.15
	2-11/16	3/4x3/4	5
	2-3/4	3/4x3/4	4.8
	2-7/8	3/4x3/4	4.55
	2-15/16	3/4x3/4	4.5
	3	3/4x3/4	4.45
	3-1/8	7/8x7/8	4.25
	3-1/4	7/8x7/8	4.06
	3-3/8	7/8x7/8	3.63
	3-1/2	7/8x7/8	3.4

	Bore size (mm)	Keyway (W x D)	Kg	
4030	1-3/4	7/16x7/16	7.4	
	1-7/8	1/2x1/2	7.3	
	2	1/2x1/2	7.1	
	2-1/8	5/8x5/8	7	
	2-1/4	5/8x5/8	6.9	
	2-3/8	5/8x5/8	6.7	
	2-1/2	5/8x5/8	6.6	
	2-5/8	3/4x3/4	6.4	
	2-3/4	3/4x3/4	6.3	
	2-7/8	3/4x3/4	6.1	
	3	3/4x3/4	5.9	
	3-1/8	7/8x7/8	5.7	
	3-1/4	7/8x7/8	5.5	
	3-3/8	7/8x7/8	5.3	
	3-1/2	7/8x7/8	5.1	
	3-3/4	1x1	4.6	
	4	1x1	4	
	4040	1-3/4	7/16x7/16	9.77
		1-7/8	1/2x1/2	9.64
		2	1/2x1/2	9.5
2-1/8		5/8x5/8	9.35	
2-3/16		5/8x5/8	9.3	
2-1/4		5/8x5/8	9.25	
2-3/8		5/8x5/8	8.9	
2-1/2		5/8x5/8	8.3	
2-5/8		3/4x3/4	8.2	
2-3/4		3/4x3/4	8.1	
2-7/8		3/4x3/4	7.95	
3		3/4x3/4	7.7	
3-1/8		7/8x7/8	7.4	
3-1/4		7/8x7/8	7.3	
3-3/8		7/8x7/8	6.9	
3-1/2		7/8x7/8	6.4	
3-3/4		1x1	5.95	
4		1x1	5.5	
4545	2-1/4	5/8x5/8	13.2	
	2-1/2	5/8x5/8	12.9	
	2-5/8	3/4x3/4	12.4	
	2-3/4	3/4x3/4	12	
	2-7/8	3/4x3/4	11.5	
	3	3/4x3/4	10.9	
	3-1/8	7/8x7/8	10.7	
	3-1/4	7/8x7/8	10.6	
	3-3/8	7/8x7/8	10.5	
	3-1/2	7/8x7/8	10	
	3-3/4	1x1	9.5	
	4	1x1	8.9	
	4-1/8	1-1/4x1-1/4	8.2	
	4-1/4	1-1/4x1-1/4	7.9	
	4-1/2	1-1/4x1-1/4	7.4	

	Bore size (mm)	Keyway (W x D)	Kg
5050	2-3/4	3/4x3/4	17
	3	3/4x3/4	16.8
	3-1/4	7/8x7/8	15.5
	3-1/2	7/8x7/8	15.3
	4	1x1	12.9
	4-1/4	1-1/4x1-1/4	12.2
	4-1/2	1-1/4x1-1/4	10.6
	5	1-1/4x1-1/4	8.9
	4-1/2	1-1/4x1-1/4	8.9
	5	1-1/4x1-1/4	8.9